

Technical Rider - Sound & light requirements SaubartIn (Attachment 1)

PA-System:

High quality PA system, well suited for venue

Depending on type of event, it should give at least 100 to 110dB(A) at FOH

Recommended systems: d&b, Nexo, JBL, L-acoustics, Adamson, ...

FOH: (placed 15-25m in front of stage on riser, centered!):

32 channel digital mixing desk (Yamaha M7 CL32, Yamaha QL-1 or QL-5 recommended)

No Behringer equipment!

Monitor:

32 channel monitor desk (for larger stage only)

Multicore with adequate splitter

min. 7 aux sends

IEM with 7 receivers excluding ear phones

For larger stages drum-fill and side-fills

Experienced monitor technician (for larger stages only)

Riser:

Drums: 2m x 2m x 0,4m

Keyboards: 2m x 2m x 0,4m

Bass: 2m x 2m x 0,4m

FOH, Light: 4m x 3m x 0,5m

Light:

Trussing according to stage size, well suited and certified for load

12 Moving lights min. 575 HMI (spots and wash lights can be mixed)

8 LED Bars or Sunstripes

2 Blinder groups

3 ACL Bars (3 groups)

6 Profiler 750-1kw (i.e. source four)

1 Hazer (ie. Look Unique, ...)

1 Fogger 1600W (ie. JEM Magnum Pro 2000, ...)

Universal lighting control desk (ie. Licon 1x, Avolites Pearl 2000 ...) - NO PC-only system

For further information or any changes please contact:

Harry Böhaker, Cell phone +43 664 455 18 56, office@saubartIn.com


Technical Rider – Channel list SaubartIn

<u>Ch</u>	<u>Instrument</u>	<u>Subcore</u>	<u>Mic/DI</u>	<u>Stand</u>
1	Kick		Beta 91, 52	
2	Snare		SM 57	med. boom
3	HiHat		C451,...	med. boom
4	Tom 1		Beta 98, e604,..	clamp
5	Tom 2		Beta 98, e604,..	clamp
6	Tom 3		Beta 98, e604,..	clamp
7	OH L		C414, KM184,...	large boom
8	OH R		C414, KM184,...	large boom
9	Bass		DI	
10	Git		SM57, E606	med. boom
11	Keys L		DI	
12	Keys R		DI	
13	Accordion Keys / Keytar		DI	
14	Styrian accordion singer (red)		DI	
15	Styrian accordion singer (green)		DI	
16	DJ station Git		DI	
17	Pad Drums L		DI	
18	Pad Drums R		DI	
19	Voc male singer L		SM58 wireless	
20	Voc female singer		SM58 wireless	round straight boom
21	Voc male singer R		SM58 wireless	large boom
22	Voc Git		SM58	large boom
23	Voc Drums		SM58	large boom
24	Spare			
R1	IE1/Wegde Guit			
R2	IE2 male singer R			
R3	IE3 female singer			
R4	IE4/Wedge male singer L			
R5	IE5/Wedge Bass			
R6	IE6/Wedge Keys			
R7	IE7/Wedge Drums			
R8	Spare			

Technical Rider – Stageplan SaubartIn

9m x 6m x 0,8m (min. 8m x 5m x 0,6m)

Backdrop 4 x 2,5m supplied by band



Vocal with boom stand



230V AC power outlet

1xDI

DI Box

Mic

Instrument Microphone